

The HOVE logo is located in the top right corner. It consists of the word "HOVE" in a bold, white, sans-serif font, set against a white rectangular background with a wavy top edge. The background of the entire page is a dark, blue-tinted photograph of a wind farm at dusk or dawn, with several wind turbines visible against a cloudy sky and rolling green hills.

**HOVE**

# **MEET THE FUTURE OF LUBRICATION**

# HOVE EASY GREASE v5

---

**Ready to elevate your operations?**

**Choose EGv5 and power up your performance today!**

Discover the EGv5 lubrication unit, where lightweight design meets superior performance. Air lock issues have been minimized and you can say goodbye to support pins for your cartridge – our innovative engineering has you covered.

With IEC Class II technology, the EGv5 ensures optimal electric protection. Experience unmatched precision and electric safety, all wrapped up in one compact package.



# ADVANTAGES

---

- ✓ **48V IEC Class II - for optimal electric protection**
- ✓ **Can operate via 230V & 110V / 50-60Hz mains outlet, and via battery (if requested)**
- ✓ **The pump highly reduces the risk of air locks**
- ✓ **No support pins are required to support the cartridge**
- ✓ Downtime reduced during maintenance
- ✓ Can be used with Hove Smart Lube\*
- ✓ High pressure and flow lets you get the job done quick and easy
- ✓ Less contamination risk – fully closed circuit, from cartridge to lubrication point

\*Read more: <https://hove-as.com/solutions/smart-lube/>



HOVE A/S  
Herstedøstervej 7  
2600, Glostrup  
Denmark  
[www.hove-as.com](http://www.hove-as.com)